

IN THE CLAIMS:

Please amend the claims as follows:

1. (previously presented) A method for obtaining content for a wireless device comprising:  
    associating a code with at least both a desired server containing desired content  
    and with control description data that defines at least when to start recording the desired  
    content from the desired server;  
  
    storing in a code server, the code with associated control description data;  
    providing, by the code server, at least the stored control description data to the  
    wireless device to facilitate acquisition of content; and  
  
    from time to time, sending the code by the wireless device to the code server; and  
    in response to receiving the code, the code server performs the step of providing the  
    stored control description data to the wireless device.
2. (original) The method of claim 1 wherein the step of providing at least the stored control  
    description data includes the step of performing, by the wireless device, time based  
    retrieval of the desired content in response to record start time data included in the  
    control description data.
3. (canceled)
4. (original) The method of claim 1 wherein the step of storing the code with the associated  
    control description data includes generating a server code database containing a plurality  
    of codes each having associated control description data and publishing an online  
    directory accessible by a plurality of subscriber wireless devices wherein the directory  
    includes each of the plurality of codes and a description of what the code does.
5. (previously presented) The method of claim 1 wherein the step of providing the code is  
    done in response to an access request by the wireless device and transparent to a user of

the wireless device, obtaining, by the wireless device the desired content using the control description data.

6. (original) The method of claim 1 wherein the control description data includes at least one of: a destination identifier for a desired content source, a record start time for the content, a record stop time for the content, and transmission protocol required to retrieve the desired content from the desired content source.
7. (original) The method of claim 1 including storing user call back data with associated codes for each of a plurality of users and initiating a call back in response to control description data associated with the code.
8. (previously presented) A method for obtaining content for a wireless device comprising:
  - associating a code with at least both a desired internet server containing desired content and with control description data that defines at least when to start recording the desired content from the desired internet server;
  - storing in a code server accessible via the internet, the code with associated control description data;
  - providing, by the code server, at least the stored control description data to the wireless device to facilitate acquisition of internet content; and
  - sending the code by the wireless device to the code server; and in response to receiving the code, the code server performs the step of providing the stored control description data to the wireless device.
9. (original) The method of claim 8 wherein the step of providing at least the stored control description data includes the step of performing, by the wireless device, time based retrieval of the desired content in response to record start time data included in the stored control description data.

10. (canceled)
11. (currently amended) The method of claim ~~10~~ 8 wherein the step of storing the code with the associated control description data includes generating a server code database containing a plurality of codes each having associated control description data and publishing an online directory accessible by a plurality of subscriber wireless devices wherein the directory includes each of the plurality of codes and a description of what the code does.
12. (previously presented) A wireless device comprising:
  - a processing circuit; and
  - memory containing programming instructions that when executed by one or more processing circuits causes the one or more processing circuits to:
    - provide a code to a code server wherein the code server contains a copy of the code and to provide control description data that defines at least when to start recording desired content from a desired internet server identified by the control description data; and
    - receive stored control description data by the wireless device to facilitate acquisition of internet content.
13. (original) The wireless device of claim 12 wherein the memory contains programming instructions that when executed by one or more processing circuits causes the one or more processing circuits to perform time based retrieval of the desired content in response to record start time data included in the stored control description data.
14. (original) The wireless device of claim 12 wherein the control description data includes at least one of: a destination identifier for a desired content source, a record start time for

the content, a record stop time for the content, and transmission protocol required to retrieve the desired content from the desired content source.

15. (previously presented) A server comprising:

a processing circuit; and

memory containing programming instructions that when executed by one or more processing circuits causes one or more processing circuits to:

associate a code with at least both a desired server containing desired content and with control description data that defines at least when to start recording the desired content from the desired server;

store for the server, the code with associated control description data;

provide, by the server, at least the stored control description data to a wireless device to facilitate acquisition of content by the wireless device;

store user call back data with associated codes for a given user; and

initiate a call back to the wireless device in response to control description data associated with the particular code.

16. (original) The server of claim 15 wherein the memory contains programming instructions that when executed by one or more processing circuits causes the one or more processing circuits to, in response to receiving the code, performing the step of providing the stored control description data to the wireless device.

17. (original) The server of claim 15 wherein the memory contains programming instructions that when executed by one or more processing circuits causes the one or more processing circuits to store the code with the associated control description data by generating a server code database containing a plurality of codes each having associated control description data and publishing an online directory accessible by a plurality of subscriber

Serial No. 10/037,015

Page 6

wireless devices wherein the directory includes each of the plurality of codes and a description of what the code does.